





**Conform to:**  
**UNI EN1092**  
**UM584761**



Combinazione materiali standard – Standard materials Combination			
ITEM	DENOMINAZIONE DENOMINATION	B/316 MATERIALE MATERIAL	N/316 MATERIALE MATERIAL
01	Body	G-CuSn5Zn5Pb5 UNI EN1982	G-CuSn10Zn2Ni2 UNI EN1982
02	Distribution box	G-CuSn5Zn5Pb5 UNI EN1982	G-CuSn10Zn2Ni2 UNI EN1982
03	Ball valve	G-CuSn5Zn5Pb5 UNI EN1982	G-CuSn10Zn2Ni2 UNI EN1982
04	Filter	AISI316 UNI EN10088 X5CrNiMo17-12-2	AISI316 UNI EN10088 X5CrNiMo17-12-2
05	Pin	AISI316 UNI EN10088 X5CrNiMo17-12-2	AISI316 UNI EN10088 X5CrNiMo17-12-2
06	Washer	AISI316 UNI EN10088 X5CrNiMo17-12-2	AISI316 UNI EN10088 X5CrNiMo17-12-2
07	Nut M10x1.25	AISI316 UNI EN10088 X5CrNiMo17-12-2	AISI316 UNI EN10088 X5CrNiMo17-12-2
08	Gland bushing	Brass CW617N (OT58)	Brass CW617N (OT58)
09	Wiper seal	NBR	NBR
10	Bonnet	G-CuSn5Zn5Pb5 UNI EN1982	G-CuSn10Zn2Ni2 UNI EN1982
11	Bush	G-CuSn5Zn5Pb5 UNI EN1982	G-CuSn10Zn2Ni2 UNI EN1982
12	Valve gasket	NBR	NBR
13	Lever	G-CuSn5Zn5Pb5 UNI EN1982 or AISI316 UNI EN10088	G-CuSn10Zn2Ni2 UNI EN1982 or AISI316 UNI EN10088
14	Gasket	EPDM	EPDM
15	OR	NBR	NBR
16	Hexagonal head screw M8x25 UNI5739	AISI316 UNI EN10088 X5CrNiMo17-12-2	AISI316 UNI EN10088 X5CrNiMo17-12-2
17	Stud bolt M8x32 UNI5911	AISI316 UNI EN10088 X5CrNiMo17-12-2	AISI316 UNI EN10088 X5CrNiMo17-12-2
18	End-stroke plate	G-CuSn5Zn5Pb5 UNI EN1982	G-CuSn10Zn2Ni2 UNI EN1982
19	Nut M8 UNI5588	Brass CW617N (OT58)	Brass CW617N (OT58)
20	Hexagonal head screw M8x30 UNI5739	AISI316 UNI EN10088 X5CrNiMo17-12-2	AISI316 UNI EN10088 X5CrNiMo17-12-2

**Nota:** Combinazioni materiali non standard a richiesta  
**Note:** Non standard materials combinations on request

DN	D1	h	L	L1	L2	L3	S	PN10M.M.I.							PN16						
								a	b	D	K	f	Holes No. f	Weight (Kg)	b	D	K	f	Holes No. f	Weight (Kg)	
40	M85x6	275	370	500	385	170	6	85	10	110	85	14	4	16	12	150	110	18	4	20	
50	M85x6	280	400	535	390	170	6	95	10	120	95	14	4	17	16	165	125	18	4	21	
60	M85x6	280	400	535	390	170	6	-	10	135	110	14	6	17.5	-	-	-	-	-	-	
65	M85x6	280	400	535	390	170	6	-	-	-	-	-	-	-	16	185	145	18	4	22	
65/70	M85x6	280	400	535	390	170	6	-	10	140	115	14	6	18	-	-	-	-	-	-	
80	M85x6	270	430	580	440	170	8	-	10	155	130	14	8	27	18	200	160	18	8	31.5	
100	M85x6	300	430	560	390	170	10	-	12	175	150	14	8	36	20	220	180	18	8	40	
125	M85x6	315	450	560	390	170	10	-	16	200	175	14	12	40	20	250	210	18	8	46	
150	M85x6	330	500	570	400	170	10	-	16	230	205	14	12	52	23	285	240	22	8	60	
200	M85x6	410	600	660	540	170	14	-	18	295	265	18	12	-	26	340	295	22	12	122	
250	M85x6	410	620	670	540	170	14	-	18	350	320	18	20	-	26	405	355	26	12	148	